



Biwin Type-C UFD

Quick Start Guide

UD400

BIWIN UD400 256GB

BIWIN UD400 512GB

BIWIN UD400 1TB

简体中文/繁體中文 / English

1: 注意事项

- 请勿随意拆解、破坏 U 盘，以免造成产品无法正常工作。
- 请尽量避免在高温潮湿的环境中使用 U 盘，以免对产品造成损害。

2: 使用指南

- 将 U 盘插入 Type-C 接口内，即可使用 U 盘。
- 为了确保传输性能，请使用自带的转接头。
- 兼容 Mac OS X10.6+, Windows11/10/7/8, Android 4.4+, Harmony OS, 适配 iPhone15/16 系列、华为 Mate60 系列等 Type-C 接口的智能手机和平板电脑。
- 工作电压 5V DC
- 工作温度 0°C~60°C

3: 保修限制

- 未依操作手册使用或未依使用说明书上之指示维护所导致之故障损坏。
- 产品之毁损系受不可抗力之天灾(如水灾、火灾、地震、雷击、台风灾等)、人为故意破坏(如敲打、破裂、重击等)、计算机失调、人为疏失(如遗失、未妥善保管等)或其他非正常所导致者。
- 客户擅自或使第三人安装、添附、扩充、修改、修复、拆卸非 BIWIN 佰维授权或认可之零件所导致之毁损。
- 计算机病毒所致之产品毁损或解毒所导致之产品毁损等。
- 因物理或电子及电磁的压力或干扰，电源的不稳及误用、闪电、静电、火或其他不可抗力之因素而造成的毁损。
- 因暴露于不当的环境(包含高温或高湿度的环境)而造成的毁损。
- 因客户送至 BIWIN 佰维途中不当的运送及包装而造成的毁损。
- 提供维修服务时，维修品储存之各项数据将可能因进行修复时毁损或流失，请先行储存备份数据，BIWIN 佰维就维修品储存之各项数据恕不负责。
- 若将产品使用于研发用途或专业测试所导致之故障或毁损，不在免费保固的服务范围内。
- 因产品使用而造成磁盘数据总写入量超过产品标称的数据总写入量。
- BIWIN 佰维对用户数据不做承诺，请及时备份数据。

1: 注意事項

- 請勿隨意拆卸、破壞 USB 隨身碟，以免造成產品無法正常工作。
- 請盡量避免在高溫潮濕的環境中使用 USB 隨身碟，以免對產品造成損壞。

2: 安裝指南

- 將 USB 隨身碟插入 Type-C 連接埠內，即可使用。
- 為了確保傳輸效能，請使用隨附的轉接頭。
- 相容於 Mac OS X10.6+、Windows11/10/7/8、Android 4.4+、Harmony OS，適配 iPhone15/16 系列、華為 Mate60 系列等 Type-C 連接埠的智慧型手機和平板電腦。
- 工作電壓 5V DC
- 工作溫度 0°C~60°C

3: 保修限製

- 本保固服務不適用於因未依產品操作手冊或說明使用所造成之產品損壞。
- 本保固服務不適用於產品因不可抗力之天然災害(如水災、火災、地震、雷擊、颱風等)、人為破壞(如敲打、破裂、重擊等)、電源問題、人為疏失(如跌失、未妥善保管等)或其他意外所造成之產品損壞。
- 自行或第三方安裝、添附、擴充、修改、修復、拆卸未經 BIWIN 佰維授權或認可之零組件者，不得享有本保固服務。
- 本保固服務不適用於因電腦系統病毒感染或移除病毒所造成之產品損壞。
- 因物理或電子及電磁的壓力或干擾，電源的不穩及誤用、閃電、靜電、火或其他不可抗力之因素而造成的毀損。
- 因暴露於不當的環境(包含高溫或高濕度的環境)而造成的毀損。
- 因客戶送至 BIWIN 佰維途中不當的運送及包裝而造成的毀損。
- 提供維修服務時，維修品儲存之各項數據將可能因進行修復時毀損或流失，請先行儲存備份數據，BIWIN 佰維就維修品儲存之各項數據恕不負責。
- 若將產品使用於研發用途或專業測試所導致之故障或毀損，不在免費保固的服務範圍內。
- 因產品使用而造成磁盤數據總寫入量超過產品標稱的數據總寫入量。
- BIWIN 佰維對用戶數據不做承諾，請及時備份數據。

1: Precautions

- Please avoid disassembling or damaging the USB Flash drive, which may result inproduct malfunction.
- Please ensure that the USB flash drive is not used in environments with hightemperatures or excessive humidity to prevent potential damage.

2: User guidance

- To use the USB flash drive, plug it into the device's Type-C port.
- Please use the included adapter for optimal data transfer performance.
- The drive is compatible with Mac OS X 10.6+, Windows 11/10/7/8, Android 4.4+,Harmony OS, and smartphones and tablets with USB Type-C ports, including iPhone15/16 series and Huawei Mate 60 series.
- Operating voltage 5V DC
- Operating temperature 0 ° C to 60 ° C

3: Warranty restrictions

The warranty stated shall NOT apply if:

- The product was not used in accordance with any accompanying instructions.
- Any failure or defect caused by natural disasters (such as floods, fires, earthquakes,lightning, typhoons), intentional destruction (such as cracks, or severe impacts),computer problems, user negligence (such as loss or improper storage), or any otherabnormal circumstances.
- Any failure or defect resulting from unauthorized or third-party installation, attachment,expansion, modification, repair, or disassembly of parts not approved or recognizedby BIWIN.
- Any failure or defect caused by computer viruses or efforts to remove viruses thataffected the product.
- Any failure or defect due to physical, electronic, or electromagnetic pressure orinterference, power instability and misuse, lightning, static electricity, fire, or otherforce majeure events.
- Any failure or defect arising from exposure to improper environments, including hightemperature or high humidity.
- Any failure or defect due to improper packaging or shipping when sent to BIWIN forrepair by the customer.
- Data stored on the product may be lost or damaged during the repair process. Pleaseback up all important data in advance, as BIWIN shall not be responsible for any dataloss.
- The product was used for research or professional testing purposes, resulting infailure or damage, and such cases are not covered under the free warranty service.
- The total amount of disk data written exceeded the specified endurance limit of theproduct.
- BIWIN is not liable for losses of personal data stored in the product. Please make sureto back up important data.

Table of Toxic and Hazardous Substances Elements and their Content

Part Name	Toxic and Hazardous Substances and Elements					
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr ⁺)	Polybrominated Biphenyls (PBB)	Polybrominated Diphenyl Ethers (PBDE)
Casing	○	○	○	○	○	○
Circuit Board	○	○	○	○	○	○
Solder	○	○	○	○	○	○
Accessories	○	○	○	○	○	○

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

Note 2: "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.



BIWIN STORAGE TECHNOLOGY CO., LTD.

Add: Building #4, South Zone #2, Zhongguan Honghualing Industrial Zone, NanShan, Shenzhen, China
 Manufacturer Address: No. 8-1 Yuanhui Road, Chenjiang Street, Zhongkai High-tech Zone, Huizhou, Guangdong, China
 Hotline: 400 8881 009
 Website: www.biwintech.com